

# XOANONS® Defoamer

## Model number

XOANONS®WE-D912R

## Specification

Composition	Fluorine modified organic silicon polymer solution
Appearance	Colorless to slight yellowish clear liquid
Solvent	Di-isobutyl adipate
Active substance	2%
Density	0.93-0.97g/ml(25±1)°C
Viscosity	5-25s(Tu-4 viscometer)(25±0.2)°C
Flash point	>100°C

Note: This datasheet is intended to give typical results, not standard. Subject to COA.

## Application system

Solvent-based

## Properties

- Good compatibility in varnish.
- Excellent foam-inhibition and defoaming ability.
- Provide strong surface tension reduction and extra anti-cratering ability.

## Incorporation

Added to the mill base for improving the foam-inhibition, deaeration and defoaming speed of the system

## Suggest addition

Addition to total formulation 0.1-0.25%

## Storage stability

Keep intact 24 months in original package. Products beyond the storage period may continue to be used after inspection. The container must be closed immediately after use.

## package

25KG / 180KG